

(According to Regulation (EC) No. 1907/2006 (REACH)

FIR NEEDLE OIL

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 1 of 6

I. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY / UNDERTAKING
 1.1 Product Identifiers Product Code 1058

 Product Name
 FIR NEEDLE OIL

 CAS No.
 8021-29-2

 Index No.
 N/A

 CLP Reference No.
 N/A

 REACH Registration No.
 N/A

 EC No.
 294-351-9

 FEMA No.
 2905

1.2 Use Use in Flavour / Food Application.

1.3 Company / Undertaking Identification Ultra International B.V.

Malledijk 3H, 3208 LA Spijkenisse, (Loods 12-15), Netherlands

Tel: +3161 6915330 Fax: +91-120 - 437 4000

E-mail: <u>ultraintl.nl@gmail.com</u> www.ultrainternational.com

**1.4 Emergency Telephone** +91-9810008844

1058

# 2. HAZARD IDENTIFICATION

### 2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS classification]

HAZARD CATEGORY
HAZARD STATEMENTS
Flammable Liquid 3
H226 FLAMMABLE LIQUID AND VAPOUR

Table 1 E Will A SEE E GOID / WO ON

Aspiration Hazard 1 H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

Skin Corrosion/Irritation 2 H316 CAUSES MILD SKIN IRRITATION

 Skin sensitization 1
 H317
 MAY CAUSE AN ALLERGIC SKIN REACTION

 Eye damage/irritation 2A
 H319
 CAUSES SERIOUS EYE IRRITATION

 Aquatic acute 1
 H400
 VERY TOXIC TO AQUATIC LIFE

Aquatic Chronic 1 H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R10 FLAMMABLE.
R36 IRRITATING TO EYES.

R43 MAY CAUSE SENSITIZATION BY SKIN CONTACT.

R50/53 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

R65 HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED

# 2.2 Label Elements

Label elements according to Regulation (EC) No. 1272/2008 (Substance)/Directive 67/548/EEC

# Hazard Pictogram / Symbol:









Signal word / Indication(s) of danger:

Danger

### Hazard Pictogram / Symbol:



Xn Harmful



N Dangerous for the environment

# **Hazard Statements**

H226 FLAMMABLE LIQUID AND VAPOUR

H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS

H317 MAY CAUSE AN ALLERGIC SKIN REACTIONH319 CAUSES SERIOUS EYE IRRITATION

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS



(According to Regulation (EC) No. 1907/2006 (REACH)

FIR NEEDLE OIL

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 2 of 6

### **Precautionary Statements**

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. – NO SMOKING

P233 KEEP CONTAINER TIGHTLY CLOSED

P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/LIGHTING/.../EQUIPMENT

P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY

P273 AVOID RELEASE TO THE ENVIRONMENT

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION

P305+351+338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO.

CONTINUE RINSING

1058

P331 DO NOT INDUCE VOMITTING

P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

P337+313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION

P405 STORE LOCKED UP

P501 DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

# 3. COMPOSITION / INFORMATION OF INGREDIENTS

Substance Name : FIR NEEDLE OIL

Substance Description : This product is 100% essential oil.

Hazardous Components Delta-3-Carene(CAS № 13466-78-9);Xi,N;R38-43,R50/53;Amount-8-20%

 $\label{eq:local_alpha-Pinene} $$Alpha-Pinene(CAS N^0 80-56-8); Xi,N;R43,R50/53; Amount: 10-20\% Beta-Pinene(CAS N^0 127-91-3); Xi,N;R43,R50/53; Amount: 1.5 - 4% Limonene( Cas N^0 7705-14-8); Xi,N; R38-43,R50/53; Amount: 4 - 9% Camphene (Cas N^0 79-92-5); Xi,N; R36,R50/53; Amount: 20 - 30%$ 

**CAS No.** : 8021-29-2 **EC No.** : 294-351-9

Botanical Name : Abies siberica Ledeb.

Synonyms : FIR NEEDLE OIL

Abies sibirica oil

CLP Reference No. : N/A REACH Registration No. : N/A

# 4. FIRST AID MEASURES

4.1 Description of First Aid Measures

 Eye Contact
 :
 Remove contact lenses if worn. Flush immediately with plenty of water.

 Skin Contact
 :
 Remove contaminated clothing. Wash affected area with mild soap and water.

 Inhalation
 :
 Remove affected person to fresh air. If discomfort persists, consult physician.

Swallowing : Seek immediate medical care.

Indication of any immediate medical attention and special treatment method

IF SWALLOWED: Immediately call a POISON CENTER or Doctor/Physician.

IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.

# 5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media

- **Suitable** : Carbon Dioxide; Dry Chemical; Universal Type Foam.

- Unsuitable : Water spray; others not established

5.2 Special hazards arising from substance

Combustible liquid Possibility of development of hazardous gases or vapors in event of fire Following may develop: CO and CO2

5.3 Advice for fire fighters

Do not stay in dangerous zone without self protective clothing and breathing apparatus Spray extinguishing media directly into base of fire Cool containers exposed to flame with water Prevent fire fighting water entering surface water or ground water.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal Precautions, protective equipment and emergency procedures

Wear personal protective clothing. Keep away unprotected individuals. Eliminate source of ignition. Keep area well ventilated and isolate the spill.

# 6.2 Environmental precautions

Prevent entry into drains, ground/surface water or sewerage system.

# 6.3 Methods and material for containment and cleaning up

Pick up with absorbents material (Sand) or with pump for large spills.

# 6.4 Reference to other sections

Refer to Section 7, 8 & 13



(According to Regulation (EC) No. 1907/2006 (REACH)

FIR NEEDLE OIL

Version : Date: SDS/2010/1 20/08/2013

Revision : Date:

Page No.: Page 3 of 6

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

### Measures to prevent fire

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

1058

Use explosion proof electrical/ ventilating/lighting/equipment etc.

### Measures to prevent aerosols and dust generation

Ensure good ventilation at workplaces

### Measures to protect the environment

Prevent entry into drains, ground/surface water or sewerage system.

### **General Occupational hygiene**

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe use, including any incompatibilities

# Information on storage conditions

Should be stored in cool, dark, dry, well ventilated places in full, tightly sealed containers protected from light & source of ignition

### Information on packing materials

Should be packed in Aluminium, HDPE Food Grade Cans, MS Coated Drums, and GI Drums, Avoid long contact with Iron

# Requirements for storage rooms and vessels

Should be stored in suitable containers (lines inside) e.g. MS Coated Drums, GI Drums etc. No special requirement for storage rooms.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure controls

### 8.1 Appropriate engineering controls

Engineering controls should be used as the primary means to control exposures

# 8.2 Personal protective equipments

Skin protection Eye protection

Body protection

Respiratory protection



Safety gloves tight safety goggles

Protective clothing



Dust mask

3.3 Environmental exposure controls

Prevent entry into drains, ground/surface water or sewerage system.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

-physical state Liquid

-colour Colourless to slightly yellow
Characteristic

OdourCharacteriOdour ThresholdMediumpHN/AMelting Point °CN/A

Boiling Point °C N/A
Flash Point (Closed Cup) °C 43°C
Vapour Pressure N/A
Vapour Density NE

Optical Rotation  $$-45^{\circ}$ to -30^{\circ}$$  Surface tension \$N/A\$

Solubility

-Water Insoluble

-Alcohol 1:2 in 90% clear to slightly turbid

Viscosity Not estimated
Partition Cofficient Not estimated

# ULTRA

# **SAFETY DATA SHEET**

(According to Regulation (EC) No. 1907/2006 (REACH)

FIR NEEDLE OIL

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 4 of 6

**Explosive Limits** 

 -Lower Explosion Limit
 N/A

 -Upper Explosion Limit
 N/A

 Auto ignition Temperature
 N/A

 Flammability
 Flammable

 Granulometry
 N/A

 Oxidising Properties
 N/A

1058

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Not reactive, stable at room temperature.

10.2 Chemical stability

Stable

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizers

10.4 Conditions to avoid

No decomposition if stored and handled properly

10.5 Incompatible materials

Avoid strong acids strong bases and all oxidising agents

10.6 Hazardous decomposition products

No dangerous decomposition products expected by intended us

# 11. TOXICOLOGICAL INFORMATION

 11.1
 Acute toxicity oral (LD50)
 10.2g/kg bw (Rat)

 11.2
 Acute toxicity inhalation
 Not determined

 11.3
 Acute toxicity dermal (LD50)
 3g/Kg bw (Rabbit)

 11.4
 Skin Irritation/Corrosion
 Not determined

 11.5
 Respiratory sensitization
 Not determined

 11.6
 Skin sensitization
 Sensitizing

11.7 CMR Effects

Carcinogenicity No
Mutagenicity No
Toxic to reproduction No

11.8 Eye Irritation / Corrosion Not determined

11.9 Exposure limits

There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been

established.

# 12. ECOLOGICAL INFORMATION

12.1 Toxicity

PNEC Oral : Not determined

NOAEL : Not determined

EC50 (48hrs) : Not determined

LC50 (96hrs) : Not determined

12.2 Persistence and degradability : Not determined

12.3 Mobility in Soil : Not determined

12.4 Results of PBT and vPvB assessment : Not determined

# 13. DISPOSAL CONSIDERATION

# 13.1 Waste treatment methods

# Product/packaging disposal

Handle in accordance with official provisions

# Waste treatment options

Recycling is preferred to disposal or burning

# Waste code /Waste designations according to EWC/AVV

15 02 02\* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

### 13.2 Recommendations

Empty contaminated packing thoroughly as they may be recycled

Moistened solids to be disposed off adhering to necessary technical regulations after consulting concerned authorities



(According to Regulation (EC) No. 1907/2006 (REACH)

FIR NEEDLE OIL

Version : SDS/2010/1 Date: 20/08/2013

Revision : Date:

Page No.: Page 5 of 6

### 14. TRANSPORT INFORMATION

### 14.1 Land Transport (ADR/RID/GGVSE):

 UN Number
 1272

 DG Class
 3

 Packing Group
 III

 Proper Shipping Name
 Pine Oil

 Classification Code
 3Y

Hazard Labels



1058



### 14.2 Sea Transport (IMDG-Code/GGVSee):

UN Number 1272
DG Class 3
Packing Group III
Proper Shipping Name Pine Oil
Marine Pollutant Yes

**Hazard Labels** 





# 14.3 Air Transport (ICAO-IAT/DGR):

 UN Number
 1272

 DG Class
 3

 Packing Group
 III

 Proper Shipping Name
 Pine Oil

# 14.4 Special precautions for users

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse Prevent entry into drains, ground/surface water or sewerage system.

# 14.5 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

N/A

# 14.6 Other Information

Custom Tariff Code : 3301 29 6000

EmS Code : -

# 15. REGULATORY INFORMATION

# EU regulations:

The product has been classified and labelled according to criteria provided in Directive 67/548/EEC and 1272/2008/EC, and following the recommendations of EFFA (European Flavor and Fragrance Association).

Other Regulations: German Regulation (VwVws)
Water Hazard Class : WGK 2

# 16. OTHER INFORMATION

### 16.1 Changes to previous version

Changes applicable according to regulation (EC) No 1907/2006 (REACH)

# 16.2 Abbreviations and acronyms

GHS : Globally Harmonized System of Classification and labeling of Chemicals

CAS : Chemical abstract Service (division of American Chemical society)

CLP : Classification, Labelling and Packaging
LD50 : Lethal concentration, 50 percent
EC50 : Effective concentration, 50 percent
PNEC : Predicted No Effect Concentration
NOAEL : No Observed Adverse Effect Levels

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

RID : Regulations Concerning the International Transport of Dangerous Goods by Rail



IMDG

# SAFETY DATA SHEET

(According to Regulation (EC) No. 1907/2006 (REACH)

Version: SDS/2010/1 20/08/2013 Date:

Revision: Date:

Page No.: Page 6 of 6

1058 FIR NEEDLE OIL

IATA International Air Transport Association

International Maritime Code for Dangerous Goods IATA-DGR Dangerous Goods Regulations by the International Air Transport Association (IATA)

ICAO International Civil Aviation Organization

### 16.4 Wording of relevant hazard statement and/or precautionary statements referred to in section 2 to 15

### **Hazard Codes**

HARMFUL Χn

DANGEROUS FOR THE ENVIRONMENT

### Risk Phrases

R10 FLAMMABLE. IRRITATING TO EYES. R36

R43 MAY CAUSE SENSITIZATION BY SKIN CONTACT.

VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT. R50/53

HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED R65

### Safety Phrases

S24 AVOID CONTACT WITH SKIN.

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. S26

S37 WEAR SUITABLE GLOVES.

S61 AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/SAFETY DATA SHEETS.

S62 IF SWALLOWED, DO NOT INDUCE VOMITING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.

### **Hazard Statements**

FLAMMABLE LIQUID AND VAPOUR H226

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS H304

CAUSES MILD SKIN IRRITATION H316

H317 MAY CAUSE AN ALLERGIC SKIN REACTION H319 CAUSES SERIOUS EYE IRRITATION

H400 VERY TOXIC TO AQUATIC LIFE H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

### **Precautionary Statements**

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING P210

P233 KEEP CONTAINER TIGHTLY CLOSED

P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/LIGHTING/.../EQUIPMENT

P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY

P273 AVOID RELEASE TO THE ENVIRONMENT

P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. P305+351+338

CONTINUE RINSING

P331 DO NOT INDUCE VOMITTING

P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION P337+313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION

P405 STORE LOCKED UP

DISPOSE OF CONTENTS/CONTAINER TO ... (IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATION).

# 16.5 Training advice appropriate for workers

N/A

### 16.6 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution. It does not represent a guarantee of the properties of the product.